



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/868,692	06/21/2001	Sven Harder	59597.000002	3195

30593 7590 08/21/2003
HARNESS, DICKEY & PIERCE, P.L.C.
P.O. BOX 8910
RESTON, VA 20195

15
EXAMINER

WATKINS III, WILLIAM P

ART UNIT

PAPER NUMBER

1772

DATE MAILED: 08/21/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Advisory Action

Application No.

09/868,692

Applicant(s)

HARDER, SVEN

Examiner

William P. Watkins III

Art Unit

1772

--The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

THE REPLY FILED 06 August 2003 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114.

PERIOD FOR REPLY [check either a) or b)]

- a) ☒ The period for reply expires 3 months from the mailing date of the final rejection.
- b) ☐ The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection.
- ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).

Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

1. ☐ A Notice of Appeal was filed on _____. Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal.
2. ☐ The proposed amendment(s) will not be entered because:
- (a) ☐ they raise new issues that would require further consideration and/or search (see NOTE below);
- (b) ☐ they raise the issue of new matter (see Note below);
- (c) ☐ they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or
- (d) ☐ they present additional claims without canceling a corresponding number of finally rejected claims.

NOTE: _____

3. ☐ Applicant's reply has overcome the following rejection(s): _____.
4. ☐ Newly proposed or amended claim(s) _____ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).
5. ☒ The a) ☐ affidavit, b) ☐ exhibit, or c) ☒ request for reconsideration has been considered but does NOT place the application in condition for allowance because: see the attachment.
6. ☐ The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection.
7. ☒ For purposes of Appeal, the proposed amendment(s) a) ☐ will not be entered or b) ☒ will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.

The status of the claim(s) is (or will be) as follows:

Claim(s) allowed: _____.

Claim(s) objected to: _____.

Claim(s) rejected: 1-37.

Claim(s) withdrawn from consideration: _____.

8. ☐ The proposed drawing correction filed on _____ is a) ☐ approved or b) ☐ disapproved by the Examiner.
9. ☐ Note the attached Information Disclosure Statement(s) (PTO-1449) Paper No(s). _____.
10. ☒ Other: Form 892 attached.

Art Unit: 1772

Attachment to Advisory Action Paper No. 15

1. The Bussey, Jr. et al. reference supplied to applicant with the last office action was intended to be cited as being of interest, but was left off the Form 892 by mistake. A Form 892, which includes this reference, is supplied as an attachment to this advisory action.

2. Applicant argues that there is no expectation of success in joining a variable moisture permeable membrane to the instant perforated impermeable layer because Kunzel et al. only teaches carrier layers, which are permeable. As the instant claimed first layer is impervious except for holes, which is the same as the perforated polyethylene foils at page 6 of the translation of Kunzel et al., the examiner does not see why there would not be an expectation of success to one of ordinary skill in the art in using a similar structure in the instant claims. Applicant argues that the combination of the references does not teach an "up and down" as do the instant claims. The examiner sees no "up and down" referred to in the instant claims. In fact the instant claim language is open and does not exclude the first water impervious layer from also being a variable vapor

Art Unit: 1772

diffusion resistance. Applicant's argument is not supported by the claim language. Regarding applicant's argument that the combination of the references would allow diffusion from inside the building into the wall structure during the summer because of a low permeability rate in high humidity conditions, the examiner believes this is incorrect as in the summer the outside relative humidity is high and the inside low due to cooling. The gradient favors transport of water from the wall structure to the inside of the house and not from the inside of the structure through the wall to the outside as argued by applicant.

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to William P. Watkins III whose telephone number is 703-308-2420. The examiner works an increased flex time schedule, but can normally be reached Monday through Friday, 11:30 A.M. through 8:00 P.M. Eastern Time. The examiner returns all calls within one business day unless an extended absence is noted on his voice mail greeting.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Harold Pyon can be reached on 703-308-4251. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9310 for regular communications and 703-872-9311 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0651.

Application/Control Number: 09/868,692

Page 4

Art Unit: 1772

WW/ww

August 20, 2003

William P. Watkins III

**WILLIAM P. WATKINS III
PRIMARY EXAMINER**